

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	668	(flip chip) and compliant and bump and @ad<"20021211"	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:22
2	BRS	L2	37	(flip chip) and (compliant bump) and @ad<"20021211"	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:32
3	BRS	L3	0	((compliant bump) with (mechanical support)) and @ad<"20021211"	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:33
4	BRS	L4	0	(compliant bump) and (mechanical support) and @ad<"20021211"	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	35	(compliant bump) and (mechanical) and @ad<"20021211"	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:46
6	BRS	L6	0	(compliant bump) and (mechanical contact) and @ad<"20021211"	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:36
7	BRS	L7	0	(compliant bump) and (mechanical support) and @ad<"20021211"	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:42
8	BRS	L8	0	(compliant bump) and (mechanical reinforcement) and @ad<"20021211"	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:42

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	0	(compliant bump) and (different size) and @ad<"20021211"	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:46
10	BRS	L10	3	(compliant bump) and (different height) and @ad<"20021211"	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/03/1 1 08:47